	•	a	1hr
Notice of Allowability	Application No.	Applicant(s)	uiv
	09/891,760	LIN, CHUANG-CHIA	
	Examiner	Art Unit	
	Chandrika Prasad	2839	_
The MAILING DATE of this communication ap All claims being allowable, PROSECUTION ON THE MERITS nerewith (or previously mailed), a Notice of Allowance (PTOL- NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	IS (OR REMAINS) CLOSED in 85) or other appropriate commu RIGHTS. This application is si	this application. If not included nication will be mailed in due course. THIS	; tive
1. $\boxtimes$ This communication is responsive to <u>8/24/04</u> .			
2. $\boxtimes$ The allowed claim(s) is/are <u>2-10,18-23,25,27,28,32-37,</u>	39,40,46,49 and 56-61.		
3. $igotimes$ The drawings filed on <u>6-25-01,9-19-03</u> are accepted by	the Examiner.		
4. Acknowledgment is made of a claim for foreign priority  a) All b) Some* c) None of the:  1. Certified copies of the priority documents h  2. Certified copies of the priority documents h  3. Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which is comply including changes required by the Notice of Draftsp.  1) hereto or 2) to Paper No./Mail Date	ave been received. ave been received in Application documents have been received. TE" of this communication to file NMENT of this application.  bmitted. Note the attached EXA gives reason(s) why the oath or must be submitted.  person's Patent Drawing Review.	n No  I in this national stage application from the a reply complying with the requirements  MINER'S AMENDMENT or NOTICE OF declaration is deficient.	
(b) ☐ including changes required by the attached Examir Paper No./Mail Date	ner's Amendment / Comment or	in the Office action of	
Identifying indicia such as the application number (see 37 CF each sheet. Replacement sheet(s) should be labeled as such			
<ol> <li>DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREMENT</li> </ol>			
Attachment(s)		Samuel Datast Ave Park (DTO 450)	
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-94</li> </ol>	<u> </u>	formal Patent Application (PTO-152)	
	Paper No./	ımmary (PTO-413), Mail Date	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/S Paper No./Mail Date 8/24/04</li> </ol>	B/08), 7. ⊠ Examiner's A	Amendment/Comment	
4. ☐ Examiner's Comment Regarding Requirement for Depos	sit 8. 🛭 Examiner's	Statement of Reasons for Allowance	
of Biological Material	9. 🗍 Other	- Iral of	

CHANDRIKA PRASAD PRIMARY EXAMINER Application/Control Number: 09/891,760

Art Unit: 2839

## **DETAILED ACTION**

Page 2

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Joshua Isenberg on 9/24/04.

The application has been amended as follows:

- Claim 10, line 8: "defining" has been changed to -- forming --.
- Claim 46, line 3: "defining" has been changed to -- forming --.
- Claim 46, line 3: "forming a sacrificial layer over the moveable element and a portion of the device layer;" has been inserted between ";" and "and".
- Claim 46, line 4: "the sacrificial layer," has been inserted between "over" and "the".
- Claim 46, line 5: " to form an anti-stiction member," has been inserted between "element" and ",".
- Claim 46, line 9: " and etching the sacrificial layer to release the moveable element," has been inserted between at the end of line 9.
- Claims 47-48 have been cancelled.
- Claim 49, line 1: "48" has been changed to 46 --.
- Claim 49, line 2: "insulating material" has been changed to sacrificial layer --.

## Allowable Subject Matter

- 2. Claims 2-10, 18-23, 25, 27-28, 32-37, 39-40, 46, 49, 56-61 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

Prior art does not show an anti-stiction member interposed between a moveable element and a substrate as required by the independent claims 2, 4, 10, 18, 19, 20, 23, 25, 27, 28, 32, 33, 34, 37, 39, 46, 56-58 and 61.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## **Contact Information**

4. Any correspondence to this action may be mailed to:

Commissioner for Patents Post Office Box 1450 Alexandria, VA 22313-1450

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chandrika Prasad whose telephone number is (571) 272-2099. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor can be reached at (571) 272-2800 ext 39. The fax number is (703) 872-9306.

Chandrika Prasad Primary examiner September 24, 2004